


# SERVICE MANUAL / PARTS LIST

# APPLIANCE CLAMP SOFT TOUCH

MODEL #114450 PATENT NO. 9,630,821 PATENT NO. 10,597,272



#### Specifications:

Mounting: Class III

Side Shifting: Internal Side Shifting

Capacity: 2000 lbs at 24" Pad Size: 60" High x 48" Long

Range: 22.4" - 94.4" Frame: 59" Wide

## **CONTENT:**

#### **PAGE**

- 1 Lift Truck Requirements General Installation Procedures General Inspection & Maintenance
- 2-3 Clamp Assembly
- Arm Group Assembly
- Floating Pad Assembly 5-7
- Hydraulic Assembly 8-10
- 11 Cylinder Assembly
- 12 Clamp Adjustments
- 13 Control Valve
- 14 Clamp Force Control Valve
- 15 Arm Slide & Shim Replacement
- 16 Trouble Shooting Guide

425 Hazel St. Kelso WA 98626 (800) 248-6079 Fax (360) 578-9934

### LIFT TRUCK REQUIREMENTS

### **CAPACITY**

Capacity shown on the clamp's name plate is for the clamp only. The combined truck and clamp capacity is provided by the lift truck manufacturer.

### **CLAMP HYDRAULICS**

**Recommended Truck Pressure:** 2300 to 2400 PSI (159 to 165 bar).

**Hydraulic fluid:** petroleum based hydraulic fluid only.

**Hydraulic supply group:** includes hoses and take-up - one for each function.

**Auxiliary valves:** 2 function (Side Shift & Clamp) = double auxiliary valve.

Oil Volume Settings: Side Shift = 3 GPM

Clamp Open/Close = 7 GPM

NOTE: Three Position Force Selector must be

disabled.

### **GENERAL INSTALLATION PROCEDURES**

1. Make sure that the attachment centering lug is correctly seated in truck carriage center notch.

2. Clearance between the lower retainers that hold the attachment to the truck lower carriage bar should be as shown below.

Truck Lower Carriage Bar

Lower Retainer

- 3. Connect hydraulic jumper hoses from the truck's supply group to the attachment's main manifold.
- 4. Standing clear of the clamp attachment, cycle the attachment in and out several times. Partially filled hydraulic lines may cause erratic movement.

### GENERAL INSPECTION AND MAINTENANCE


- 1. Check all hydraulic fittings, hoses, cylinders and valves for leakages repair or replace as required.
- 2. Check bladder system pressure. If out of operating range adjust as required using the LORON hand pump (PN: 112909) and pure propylene glycol antifreeze mixed 1:1 with water. Check clamp force and adjust.

Time Schedule: Check bladder pressure every day and clamp forces every 3 weeks Bladder System Pressure: 4 - 6 PSI

- 3. All bolts should be checked and tightened as required.
- 4. Check lower retainer clearance see item 2 in the General Installation Procedures above.


## **CLAMP ASSEMBLY - 1**

CLAIVIP ASSEIVIBLY - I						
QTY	PART #	DESCRIPTION	#	QTY	PART#	DESCRIPTION
1	114427	Frame	12	2	111380	Cylinder Rod Washer
2	111714.8	Cylinder Assembly	13	2	111112	Lower Retainer
1	111652.4	Load Backrest	14	6	11G.1028	Bolt
4	114576.1	Flat Slide	15	6	16E.10	Lock Washer
8	111621.1	Angle Slide	16	12	111619	Slide Button
8	109212.4	Shim	17	1	113853	Cylinder Guard
6	1C.0820	Bolt	18	4	25GN.0612	Bolt
8	4E.08	Lock Washer	19	4	109528	Nord-Lock Washer
4	111631	Spherical Bearing	20	1	114135	Bumper Weldment
4	100029.301	Rod Centering Seal	21	2	1CN.0828	Bolt
	<u></u>	 ©:	···			
						4 4 16 13 14 15
	QTY 1 2 1 4 8 8 6 8 4	1 114427 2 111714.8 1 111652.4 4 114576.1 8 111621.1 8 109212.4 6 1C.0820 8 4E.08 4 111631 4 100029.301	PART # DESCRIPTION  1 114427 Frame 2 111714.8 Cylinder Assembly 1 111652.4 Load Backrest 4 114576.1 Flat Slide 8 111621.1 Angle Slide 8 109212.4 Shim 6 1C.0820 Bolt 8 4E.08 Lock Washer 4 111631 Spherical Bearing 4 100029.301 Rod Centering Seal 4 100574.83 Cotter Pin	Perence: 114435.1  PART # DESCRIPTION #  1 114427 Frame 12 2 111714.8 Cylinder Assembly 13 1 111652.4 Load Backrest 14 4 114576.1 Flat Slide 15 8 111621.1 Angle Slide 16 8 109212.4 Shim 17 6 1C.0820 Bolt 18 8 4E.08 Lock Washer 19 4 111631 Spherical Bearing 20 4 100029.301 Rod Centering Seal 21 4 100574.83 Cotter Pin	QTY   PART #   DESCRIPTION   #   QTY	Try Part # Description # QTY Part #  1 114427 Frame 12 2 111380 2 111714.8 Cylinder Assembly 13 2 111112 1 111652.4 Load Backrest 14 6 11G.1028 4 114576.1 Flat Slide 15 6 16E.10 8 111621.1 Angle Slide 16 12 111619 8 109212.4 Shim 17 1 113853 6 1C.0820 Bolt 18 4 25GN.0612 8 4E.08 Lock Washer 19 4 109528 4 111631 Spherical Bearing 20 1 114135 4 100029.301 Rod Centering Seal 21 2 1CN.0828 4 100574.83 Cotter Pin




# ARM GROUP ASSEMBLY


Drawing Reference: 113700.2			
#	QTY	PART#	DESCRIPTION
1	1	113841	Right Hand Arm Weldment
2	1	113844	Left Hand Arm Weldment
3	2	113840	Contact Pad
4	12	111031	Retaining Nut
5	1	113717	Right Hand Tip Plate
6	1	113718	Left Hand Tip Plate
7	12	1C.0820	Bolt
8	6	1C.0812	Bolt
9	18	108088	Spring Washer




## FLOATING PAD ASSEMBLY - 1

Drawing	Reference	e: 113851.1					
#	QTY	PART#	DESCRIPTION	#	QTY	PART#	DESCRIPTION
1	3	111350	Air Tank Valve	17	2	113026.0360	Cover Hose
2	9	111295	Hose Clamp	18	2	111290.0116	Hose
3	1	111290.0025	Hose	19	16	9G.0414	Bolt
4	1	111296	Pressure Gauge	20	8	111471	Clamp Bar
5	1	111543.01	90° Elbow Fitting	21	8	109256	Hose Clamp
6	1	111292	Branch Tee	22	8	25GN.0508	Bolt
7	1	111290.0075	Hose	23	4	111128	Hose Guide
8	1	111293	Run Tee	24	12	1C.0512	Bolt
9	1	111290.0057	Hose	25	1	113720	Directional Valve Assy. Ref.
10	1	111290.0240	Hose	26	1	111289	Pipe Elbow
11	1	111290.1205	Hose	27	2	111510	Spring
12	1	111290.1090	Hose	28	16	111878	19 Gauge Wire Tie
13	1	111299	Hose Clip	29	2	113416	Hose Extrusion w/ Holes
14	1	25G.0520	Bolt	30	8	3G.0808	Bolt
15	4	111030	Bladder	31	3	111653	Valve Cap
16	2	111290.0020	Hose	32	1	113970	Wye









# **HYDRAULIC ASSEMBLY - 1**

Drawing Reference: 114	421
------------------------	-----

#	QTY	PART#	DESCRIPTION	
1	1	113774	Clamp Valve	
2	2	25G.0524	Button HD Bolt	
3	6	100676.05	O-Ring Straight Thread Adapter #6-6	
4	1	100222	90° O-Ring Restrictor Fitting	
5	1	113720	Directional Valve Assembly	
6	1	100227.05	Union Tee Fitting	Open Open
7	1	100674.0053	Hose Assembly	Close
8	1	103411.0225	Hose Assembly	
9	1	102702.0193	Hose Assembly (3)	
10	1	100678.05	O-Ring Tee Branch Fitting #6	
11	4	100440.05	90° Swivel Fitting	
12	1	100674.0400	Hose Assembly	
13	1	100674.0310	Hose Assembly	т т
14	3	100095.05	90° O-Ring Fitting #6	
15	1	102702.0310	Hose Assembly	
16	1	100674.0220	Hose Assembly	
17	1	113725	Cover	
18	2	25G.0412	Button HD Bolt	4 11/22
19	1	100676.03	Straight O-Ring Fitting Adapter	
20	1	100238.03	45° Swivel Fitting	SS1 SS2
21	1	100095.03	90° Fitting #4 O-Ring	
22	1	109626.1	O-Ring Straight Restrictor Fitting	



**FRONT VIEW** 




**BACK VIEW** 

## CYLINDER ASSEMBLY

Drawing Reference: 111714.8

Part #	R	E	S	NET STROKE
111714.8	40.85	77.70	36.85	36.85

#	QTY	PART#	DESCRIPTION	8	1	100029.2	O-Ring
1	1	111715.7	Tube Weldment	9	1	100028.2	Back-Up Ring
2	1	111717.7	Rod	10	1	100029.201	O-Ring
3	1	111482	Seal Kit (Items 4-10)	11	1	27D.10	Nut Self Locking
4	1	100032.6	Poly-Pak "B"	12	1	100027.7	Lock Wire
5	1	102099.1	Wear Ring	13	1	111374	Piston
6	1	112905	Rod Seal	14	1	111373	Gland
7	1	102098.5	Rod Wiper	15	1	111380	Washer Cylinder (Ref)



### **Cylinder Service**

- Prior to assembly lubricate seals, cylinder bore and rod with STP.
- Inspect all parts for scratches, nicks and gouges replace all damaged components.
- Inspect cylinder bore and rod for scoring replaced if scored.
- Avoid damage to seal grooves use a dull screwdriver for seal removal.
- Torque piston nut to 110 FT/LBS. (15.3kg-m).


## **CLAMP ADJUSTMENTS**

# CLAMP FORCE CHECK/ADJUSTMENT

- Check water pressure. If out of operating range fill with LORON hand pump # 112909.
   NOTE: Use pure Propylene Glycol Antifreeze mixed 1 to 1 with water.
- 2. Check the clamp force. If out of the acceptable force range, adjust with adjustment bolt of the clamp force control valve (see pg 10).

# OPEN FORCE CHECK/ADJUSTMENT

Open the arms against a force fixture and adjust for desired maximum force.




## **CONTROL VALVE**


Drawing Reference: 113774

(A) **113809** Check Valve (G) **113983** Check Valve Torque 30-35 ft-lb







(C) **113806** Flow Divider Torque 30-35 ft-lb



(D) & (E) **113807** Pressure Reducing/Relieving Valve Torque 30-35 ft-lb




(F) & (H) **113810** Bi-Directional Relief Valve
Torque 25-30 ft-lb



NOTE: Lubricate threads & seals prior to assembly.

#### ID QTY PART# **DESCRIPTION** 3 Α 113809 P/O Check Valve 0.031 1/8" NPT Orifice Plug В 1 **ORIFICE** С 1 113806 Flow Divider-Combiner Pressure Reducing Valve (Close) D 1 113807 Pressure Reducing Valve (Open) Ε 1 113807 Bi-Directional Relief (Flow Divider) F 1 113810 G 1 113983 **Check Valve** Bi-Directional Relief (Side Shift) Н 113810


### HYDRAULIC SCHEMATIC



# CLAMP FORCE CONTROL VALVE


Drawing Reference: 113720

#	QTY	PART#	DESCRIPTION
1	1	113721	Mounting Plate Weldment
2	1	111091	Air Spring
3	1	THA 7160	Tube
4	1	1C.0514	Bolt
5	1	113680	Spacer
6	4	11G.0414	Bolt
7	1	113779	Control Valve Assembly
8	1	7D.10	Jam Nut
9	1	103488.5	Bearing



### ARM SLIDE & SHIM REPLACEMENT

- 1. To replace the slides, the arms need to be in the fully open position. Release system pressure prior to removing the arms by turning the truck off and working the side shift and clamp function controls several times.
- 2. Support the arm with an overhead crane or lift truck. Be sure to secure the chain or sling in a manner that prevents the arm from falling out of the chain or sling when hanging free of the clamp.
- 3. Remove the cotter pin, slotted nut and spherical bearing from the end of the clamp cylinder rod. Keeping hands and feet clear, and carefully slide the clamp arm off of the clamp frame.
- 4. Inspect slides and slide buttons for wear. Slides may be rotated end-to-end and reused if excessively worn on the outer end only. Extra shims may be used to tighten operating clearance on slightly worn slides. Replace any slides worn to less than 0.15" (3.8mm) thick or any slide that is deeply scored or broken.



- 5. To aid in replacing the slides a block may be fashioned of wood or another convenient material to the dimensions shown above. The block is inserted to the end of the arm to hold the slides, shims, and buttons in position while the arm is inserted over the arm bars on the clamp frame. The block is expelled out the opposite end of the arm as the arm is pushed onto the frame. Prior to installing the arm the block may be used to determine the number of shims to place under the slides. Adjust the clearance between the slides and the block to provide approximately .06" (1.5mm) running clearance between the slides and arm when installed
- 6. Keeping hands and feet clear, carefully slide the clamp arm onto the clamp frame. Be sure the arm moves freely without excessive binding. If the arm is to loose or too tight add or remove shims as required.
- 7. Install the spherical bearing, slotted nut and cotter pin onto the end of the clamp cylinder rod. Be sure to leave .03"-.06" (.7mm to 1.5mm) clearance to allow the cylinder to "float" on its mountings.

### TROUBLE SHOOTING GUIDE

### LOADS SLIPPING OR DROPPING

### **POSSIBLE CAUSES**

### **SOLUTION**

- 1. Clamp force set too low.
- 2. Internal leakage in cylinder.
- 3. Load too heavy for the clamp capacity.
- 4. Load may not by stacked correctly or may need to be unitized.
- 5. Bent arms or contact pads.
- 6. Damaged / leaking hydraulic hose

- 1. Adjust clamp force.
- 2. Replace cylinder seals. If tube, pistons or rod is scored replace with new parts.
- 3. Consult factory.
- 4. Restack or unitize load (shrink wrap).
- 5. Consult factory.
- 6. Replace damaged hose.

### CRUSHING LOADS

### **POSSIBLE CAUSES**

## SOLUTION

- 1. Clamp force set too high.
- 2. Bent arms or contact pads.
- 3. Leak in the bladder system.

- 1. Adjust clamp force.
- 2. Consult factory.
- 3. Check for leaks and repair.

# ARM CHATTERING OR ERRATIC MOVEMENT POSSIBLE CAUSES SOLUTION

- 1. Bent clamp arms.
- Nylon slides sticking.
   Note: Sticking slides can cause inconsistent force measurements.
- 3. Nylon slides worn, broken or missing.

- 1. Consult factory.
- 2. Clean slides if necessary, the slides are self lubricating.
- 3. Replace damaged slides, shims, and retaining buttons.